

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	384	((((receiv\$5 or input\$5 or obtain\$5 or acquir\$5) near4 (((plural\$5 or array) near3 color) or gamut))) with ((source or first or input\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:59
S5	209	S4 and (((((receiv\$5 or input\$5 or obtain\$5 or acquir\$5) near4 (((plural\$5 or array) near3 color) or gamut))) with ((destination or second or target\$3 or output\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:48
S6	8	S5 and ((generat\$5 or produc\$5 or creat\$5 or calculat\$5) near5 (gamut near3 descriptor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 13:34
S7	10	S5 and ((generat\$5 or produc\$5 or creat\$5 or calculat\$5) near5 (gamut near3 descript\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:50
S8	10	S7 and (gamut near4 (map\$5 or transform\$5 or conver\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:52
S9	1	S8 and ((color near4 inverse) with (transform\$5 or conver\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 13:39
S10	2696	345/589,590,591,597,601-604,606,610.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:52
S11	6985	358/1.9,518,520,524,525.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:52
S12	4337	382/300,274,162,167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:52
S13	9	S8 and (S10 or S11 or S12)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:21
S14	90	S5 and (((source or first or input\$3) adj2 (device or monitor or display\$3 or printer or printing)) with (rgb or (r near3 g near3 b)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:09
S15	48	S14 and (((destination or second or target\$3 or output\$3) adj2 (device or monitor or display\$3 or printer or printing)) with (rgb or (r near3 g near3 b)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:03
S16	4	S15 and ((color near4 inverse) with (transform\$5 or conver\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:03

EAST Search History

S17	59	S5 and (((destination or second or target\$3 or output\$3) adj2 (device or monitor or display\$3 or printer or printing)) with (rgb or (r near3 g near3 b)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:03
S18	6	S17 and ((color near4 inverse) with (transform\$5 or conver\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:05
S19	1	S17 and (((color near4 inverse) with (transform\$5 or conver\$5)) same (rgb or (r near3 g near3 b)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:06
S20	384	((((receiv\$5 or input\$5 or obtain\$5 or acquir\$5) near4 (((plural\$5 or array) near3 color) or gamut))) with ((source or first or input\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:46
S21	209	S20 and (((((receiv\$5 or input\$5 or obtain\$5 or acquir\$5) near4 (((plural\$5 or array) near3 color) or gamut))) with ((destination or second or target\$3 or output\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:46
S22	90	S21 and (((source or first or input\$3) adj2 (device or monitor or display\$3 or printer or printing)) with (rgb or (r near3 g near3 b)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 12:46
S23	384	((((receiv\$5 or input\$5 or obtain\$5 or acquir\$5) near4 (((plural\$5 or array) near3 color) or gamut))) with ((source or first or input\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 13:42
S24	209	S23 and (((((receiv\$5 or input\$5 or obtain\$5 or acquir\$5) near4 (((plural\$5 or array) near3 color) or gamut))) with ((destination or second or target\$3 or output\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 13:44
S25	9	S24 and ((generat\$5 or produc\$5 or creat\$5 or calculat\$5 or determin\$5) near5 (gamut near3 (analy\$5 or descript\$5)) with ((source or first or input\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 13:38
S26	9	S25 and ((generat\$5 or produc\$5 or creat\$5 or calculat\$5 or determin\$5) near5 (gamut near3 (analy\$5 or descript\$5)) with ((destination or second or target\$3 or output\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 13:38
S27	15	S24 and ((generat\$5 or produc\$5 or creat\$5 or calculat\$5 or determin\$5) near5 (gamut near3 (surface or boundary or analy\$5 or descript\$5)) with ((source or first or input\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 13:45
S28	13	S27 and ((generat\$5 or produc\$5 or creat\$5 or calculat\$5 or determin\$5) near5 (gamut near3 (surface or boundary or analy\$5 or descript\$5)) with ((destination or second or target\$3 or output\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 13:46
S29	2	S28 and ((color near4 inverse) with (transform\$5 or conver\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 13:47

EAST Search History

S30	1331	(((((plural\$5 or array) near3 color) or gamut)) with ((source or first or input\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 13:42
S31	655	S30 and ((((plural\$5 or array) near3 color) or gamut))) with ((destination or second or target\$3 or output\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 13:44
S33	19	S31 and ((compute or computed or computing or generat\$5 or produc\$5 or creat\$5 or calculat\$5 or determin\$5) near5 (gamut near3 (surface or boundary or analy\$5 or descript\$5)) with ((source or first or input\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:22
S34	16	S33 and ((compute or computed or computing or generat\$5 or produc\$5 or creat\$5 or calculat\$5 or determin\$5) near5 (gamut near3 (surface or boundary or analy\$5 or descript\$5)) with ((destination or second or target\$3 or output\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:23
S35	1	S34 and ((inverse) with (transform\$5 or conver\$5)) same (rgb or (r near3 g near3 b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 13:48
S36	8	S34 and ((transform\$5 or conver\$5) same (rgb or (r near3 g near3 b)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:24
S37	10	S34 and (((destination or second or target\$3 or output\$3)) same (rgb or (r near3 g near3 b)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:16
S38	1	"6819458".pn. and (rgb near3 (print\$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:17
S39	1	"6819458".pn. and (rgb near8 (print\$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:17
S40	1	"6819458".pn. and (rgb near8 (source or input))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:17
S41	0	"6819458".pn. and (rgb near8 (memory or "111"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:18
S42	0	"6819458".pn. and (rgb same (memory or "111"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:18
S43	1	"6819458".pn. and (rgb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:19

EAST Search History

S44	2696	345/589,590,591,597,601-604,606,610.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:21
S45	6985	358/1.9,518,520,524,525.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:21
S46	4337	382/300,274,162,167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:21
S47	328	S31 and (S44 or S45 or S46)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:21
S48	17	S47 and ((compute or computed or computing or generat\$5 or produc\$5 or creat\$5 or calculat\$5 or determin\$5) near5 (gamut near3 (surface or boundary or analy\$5 or descript\$5)) with ((source or first or input\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:25
S49	14	S48 and ((compute or computed or computing or generat\$5 or produc\$5 or creat\$5 or calculat\$5 or determin\$5) near5 (gamut near3 (surface or boundary or analy\$5 or descript\$5)) with ((destination or second or target\$3 or output\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:26
S50	6	S49 and ((transform\$5 or conver\$5) same (rgb or (r near3 g near3 b)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:27
S51	17	(S44 or S45 or S46) and ((compute or computed or computing or generat\$5 or produc\$5 or creat\$5 or calculat\$5 or determin\$5) near5 (gamut near3 (surface or boundary or analy\$5 or descript\$5)) with ((source or first or input\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:25
S52	14	S51 and ((compute or computed or computing or generat\$5 or produc\$5 or creat\$5 or calculat\$5 or determin\$5) near5 (gamut near3 (surface or boundary or analy\$5 or descript\$5)) with ((destination or second or target\$3 or output\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:26
S53	6	S52 and ((transform\$5 or conver\$5) same (rgb or (r near3 g near3 b)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:29
S54	2	"5704026".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:36
S55	1	"5704026".pn. and (gamut with divi\$5 with triangle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:36
S56	1	"5704026".pn. and (gamut with intersect\$5 with plane)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:36

EAST Search History

S57	0	"5704026".pn. and (radial\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:37
S58	1	"5704026".pn. and (plane with divi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:37
S59	1	"5704026".pn. and (vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:37
S60	1	"5704026".pn. and (vector with plane)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 14:38
S61	1	"5704026".pn. and (vector near3 unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:03
S63	14	((divi\$5 or segment\$6) near5 gamut) with triangle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:07
S64	2	S63 and (intersect\$5 with plan\$3 with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:11
S65	15	((divi\$5 or segment\$6 or split\$5 or separat\$5) near5 gamut) with triangle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:09
S66	24	((divi\$5 or segment\$6 or split\$5 or separat\$5) near5 gamut) same triang\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:08
S67	60	((divi\$5 or segment\$6 or split\$5 or separat\$5 or defin\$7) near5 gamut) with triangle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:09
S68	134	((divi\$5 or segment\$6 or split\$5 or separat\$5 or defin\$7 or form\$3 or (made)) with gamut) with triangle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:08
S69	8	S68 and (intersect\$5 with plan\$3 with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:16
S70	4	S69 and ((divi\$6 or split\$5 or segment\$5) with plan\$5 with (vector or radi\$5 or line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:13

EAST Search History

S71	8	S69 and (plan\$5 with (vector or radi\$5 or line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:14
S72	6	S69 and (intersect\$5 with (boundary or surface) with (vector or radi\$5 or line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:25
S73	1	"627972".ap. and "1245"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:46
S74	2	"5704026".pn. and (gamut near3 (boundary or surface)) with select\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:50
S75	2	"5704026".pn. and (gamut with triangle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:51
S76	1	"5704026".pn. and (plane with perpendicular)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:35
S77	1	"5704026".pn. and (plane with l*)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:54
S78	0	"5704026".pn. and (plane with a*b*)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:54
S79	1	"5704026".pn. and (plane)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:00
S80	2	"20040100643".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:00
S81	2	S68 and (intersect\$5 with plan\$3 with gamut) and (plan\$5 with (orthogon\$5 or perpendicular\$5) with ("a*b*" or "a* b*" or chroma\$7 or ("a*" near3 "b*")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:08
S82	306	(gamut) with triangle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:08
S83	2	S82 and (intersect\$5 with plan\$3 with gamut) and (plan\$5 with (orthogon\$5 or perpendicular\$5) with ("a*b*" or "a* b*" or chroma\$7 or ("a*" near3 "b*")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:09

EAST Search History

S84	6	S82 and (plan\$3 with gamut) and (plan\$5 with (orthogon\$5 or perpendicular\$5) with ("a*b*" or "a* b*" or chroma\$7 or ("a*" near3 "b*"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:38
S85	32	(intersect\$5 with plan\$3 with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:26
S86	13	S85 and (plan\$5 with (orthogon\$5 or perpendicular\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:25
S87	7	(intersect\$5 with ((number or plural\$5 or set) near2 plan\$3) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:28
S88	32	(intersect\$5 with plan\$3 with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:48
S89	4	S88 and ((number or plural\$5 or set) near6 plan\$5 near6 (intersect\$5 or meet\$5 or coincid\$5) with (axis))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:30
S90	5	S88 and ((plan\$5 with (orthogon\$5 or perpendicular\$5) with ("a*b*" or "a* b*" or chroma\$7 or ("a*" near3 "b*")))) or (axis with (coplanar or co-planar)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:49
S91	39	((slic\$3 or intersect\$5) with plan\$3 with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:48
S92	39	((slic\$3 or intersect\$5 or split\$5) with plan\$3 with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:52
S93	16	S92 and ((plan\$5 with (orthogon\$5 or perpendicular\$5 or parallel or coplan\$5 or co-plan\$5) with (y or lightness or brightness or lumin\$7 or L* or "L *" or axis or "a*b*" or "a* b*" or chroma\$7 or ("a*" near3 "b*"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:59
S94	57	((slic\$3 or intersect\$5 or split\$5 or segment\$6 or divi\$7) with plan\$3 with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:00
S95	21	S94 and ((plan\$5 with (orthogon\$5 or perpendicular\$5 or parallel or coplan\$5 or co-plan\$5) with (y or lightness or brightness or lumin\$7 or L* or "L *" or axis or "a*b*" or "a* b*" or chroma\$7 or ("a*" near3 "b*"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:03
S96	1	S95 and ((slic\$3 or intersect\$5 or split\$5 or segment\$6 or divi\$7) with plan\$3 with (unit near3 (vector or radi\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:05

EAST Search History

S97	21	S94 and ((plan\$5 with (orthogon\$5 or perpendicular\$5 or parallel or coplan\$5 or co-plan\$5) with (y or lightness or brightness or lumin\$7 or L* or "L "" or axis or "a*b"" or "a* b"" or uv or "u*v"" or cbc or "cb cr/or chroma\$7 or ("a"" near3 "b""))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:04
S98	1	S97 and ((slic\$3 or intersect\$5 or split\$5 or segment\$6 or divi\$7) with plan\$3 with (unit near3 (vector or radi\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:09
S99	6	"627972".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:11
S10 0	4	"627972".ap. and connect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:12
S10 1	1	"627972".ap. and connect\$5 with point	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:12
S10 2	2	"5704026".pn. and interpolat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:36
S10 3	1	"5704026".pn. and inverse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:36
S10 4	1	"5704026".pn. and ilut	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:17
S10 5	1	"5704026".pn. and inverse same interpolat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:47
S10 6	1	"5704026".pn. and ilut same interpolat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:22
S10 7	1	"627972".ap. and regener\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:22
S10 8	0	"5704026".pn. and (connect\$5 with point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:24
S10 9	0	"5704026".pn. and (connect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:24

EAST Search History

S11 0	1	"5704026".pn. and cube	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 10:11
S11 1	1	"5704026".pn. and (point with inclu\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:52
S11 2	1334	(((((plural\$5 or array) near3 color) or gamut)) with ((source or first or input\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:55
S11 3	656	S112 and ((((((plural\$5 or array) near3 color) or gamut))) with ((destination or second or target\$3 or output\$3) adj2 (device or monitor or display\$3 or printer or printing)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:55
S11 4	2702	345/589,590,591,597,601-604,606,610.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:55
S11 5	6992	358/1.9,518,520,524,525.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:55
S11 6	4349	382/300,274,162,167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:55
S11 7	329	S113 and (S114 or S115 or S116)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:56
S11 8	3	S117 and (delaun\$5 with triang\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:57
S11 9	4	S113 and (delaun\$5 with triang\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:58
S12 0	6	(gamut with map\$5) and (delaun\$5 with triang\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 10:06
S12 1	4	"627972".ap. and line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:37
S12 2	0	"5704026".pn. and linear with interpol\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 10:11

EAST Search History

S12 3	0	"5704026".pn. and linear same interpol\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 10:17
S12 4	1	"5704026".pn. and linear	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 10:54
S12 5	0	"5704026".pn. and rgnb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 10:54
S12 6	1	"5704026".pn. and rgb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 10:55
S12 7	1	"5704026".pn. and (S125 or "24")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 10:55
S12 8	1	"5704026".pn. and ("22" or "24")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 10:56
S12 9	1	"5704026".pn. and both	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 10:56
S13 0	1	"5704026".pn. and "SAME"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:05
S13 1	1	"6819458".pn. and (rgb or (r near3 g near3 b)) same (input or output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:15
S13 2	0	"6819458".pn. and destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:10
S14 2	0	"6819458".pn. and (rgb or (r near3 g near3 b)) same (inverse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:16
S14 3	0	"6819458".pn. and (rgb or (r near3 g near3 b)) same (reverse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:16
S14 4	0	"6819458".pn. and (inverse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:16

EAST Search History

S14 5	0	"6819458".pn. and (reverse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:36
S14 6	0	"5704026".pn. and parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:38
S14 7	2	"627972".ap. and parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:38
S14 8	1	"627972".ap. and grid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:38
S14 9	0	"5704026".pn. and grid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:38
S15 0	0	"6819458".pn. and grid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:39
S15 1	1	"5704026".pn. and max\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:40

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	67	(gamut near3 descriptor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:49
S2	13	S1 and (gamut with plane)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:49
S3	140	(gamut near3 (descriptor or description))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:52
S5	31	S3 and (gamut with plan\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:52
S6	8	S5 and (plan\$5 with (vector or radius or radial\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:53
S7	5	S5 and (plan\$5 with (vector or radius or radial\$5)) and (plan\$5 with ang\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:53
S8	494	(gamut near3 (boundary or descriptor or description))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:52
S9	128	S8 and (gamut with plan\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:52
S10	60	S9 and (plan\$5 with (line or ray or vector or radius or radial\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:53
S11	25	S10 and (plan\$5 with ang\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 11:54
S12	19	S10 and (plan\$5 with ang\$5) and (plan\$5 with (perpendicular\$5 or orthogonal\$5 or parallel or "90"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:01
S13	1	S10 and (plan\$5 with (plural\$5) with ang\$5) and (plan\$5 with (perpendicular\$5 or orthogonal\$5 or parallel or "90"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:02
S14	2	S10 and (plan\$5 with (plural\$5) same ang\$5) and (plan\$5 with (perpendicular\$5 or orthogonal\$5 or parallel or "90"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:13

EAST Search History

S15	3	("6075885").URPN.	USPAT	OR	ON	2007/06/05 12:09
S16	2	S10 and (plan\$5 with (plural\$5) same ang\$5) and (plan\$5 with (((inclu\$5 or contain\$5 or coplan\$5 or colinear\$5) near3 axis) or perpendicular\$5 or orthogonal\$5 or parallel or "90"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:14
S17	2	S10 and (plan\$5 with (plural\$5) same ang\$5) and (plan\$5 with (((intersect\$5 or inclu\$5 or contain\$5 or coplan\$5 or colinear\$5) near3 axis) or perpendicular\$5 or orthogonal\$5 or parallel or "90"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:14
S18	3	("5416890" "5510910" "5883632").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 15:04
S19	1	"5704026".pn. and unit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 15:09
S20	2	"6075885".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 15:24
S21	0	"6075885".pn. and unit adj2 vector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 15:26
S22	1	"6075885".pn. and plane with angle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 15:26
S23	1	"6075885".pn. and triangle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 15:30
S24	1	"6075885".pn. and plural\$5 near3 plane	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 15:47
S25	1	"6075885".pn. and repeat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 15:48
S26	0	"6075885".pn. and plural\$5 near5 contour	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 15:48
S27	1	"6075885".pn. and contour	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 15:49
S28	0	"6075885".pn. and contour with intersect\$5 with axisa	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 15:49

EAST Search History

S29	0	"6075885".pn. and contour with intersect\$5 with axis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 15:49
S30	1	"6075885".pn. and contour with intersect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:29
S31	1	"6075885".pn. and (gamut with boundary) with select\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:33
S32	1	"6075885".pn. and (Unit with triangle with face)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:39
S33	1	"6075885".pn. and plane with includ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:40
S34	1	"6075885".pn. and plane with includ\$5 with axis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:52
S35	1	"6075885".pn. and reference with axis with I	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:05
S36	1	"5704026".pn. and unit adj2 vector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:17
S37	0	"6075885".pn. and "360"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:25
S38	1	"5704026".pn. and size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:26
S39	2	(gamut near3 map\$5 near5 direction) same (direction near5 (gamut near3 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:28
S40	1	(gamut near3 map\$5 near5 direction) same (gamut with smaller with (larger or bigger))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:29
S41	4	(gamut near3 map\$5 near5 direction) and (gamut with smaller with (larger or bigger))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:30

EAST Search History

S42	2	(gamut near3 map\$5 near5 direction) and (map\$5 with smaller with (larger or bigger))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:31
S43	1	(gamut near3 map\$5 near5 direction with smaller with (larger or bigger))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:31
S44	2	(gamut near3 map\$5 with smaller adj7 (larger or bigger))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:32
S45	12	(gamut near3 map\$5 same smaller adj7 (larger or bigger))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:33
S46	0	((determin\$5 or judg\$5) near5 (gamut near3 map\$5 near5 direction)) same (smaller with (larger or bigger))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:34
S47	1	((determin\$5 or judg\$5) near5 (gamut near3 map\$5 near5 direction)) and (smaller with (larger or bigger))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:34
S48	4	((determin\$5 or judg\$5) near5 (gamut near3 map\$5 near5 direction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:35
S49	15	((expand\$5) near5 (gamut)) and ((determin\$5 or judg\$5) with (smaller or larger or bigger))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:38
S50	4	((expand\$5) near5 (gamut)) and ((determin\$5 or judg\$5) with gamut with (smaller or larger or bigger))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:38
S51	4	((expand\$5) near5 (gamut)) and ((determin\$5 or judg\$5 or check\$5) with gamut with (smaller or larger or bigger))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:39
S52	3	((expand\$5) near5 smaller near5 (gamut)) and ((determin\$5 or judg\$5 or check\$5) with gamut with (smaller or larger or bigger))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:39
S53	4	((expand\$5 or stretch\$5 or map\$5) near5 smaller near5 (gamut)) and ((determin\$5 or judg\$5 or check\$5) with gamut with (smaller or larger or bigger))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:40
S54	4	((expand\$5 or stretch\$5 or map\$5) near5 smaller near5 (gamut)) and ((determin\$5 or judg\$5 or check\$5) with gamut with (smaller or larger or bigger or wider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:40

EAST Search History

S55	9	((expand\$5 or stretch\$5 or map\$5) near5 (narrow\$5 or smaller) near5 (gamut)) and ((determin\$5 or judg\$5 or check\$5) with gamut with (narrow\$5 or smaller or larger or bigger or wider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:41
S56	40	((expand\$5 or stretch\$5 or map\$5) near5 (narrow\$5 or smaller) near5 (gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:43
S57	2	((expand\$5 or stretch\$5 or map\$5) adj5 (narrow\$5 or smaller) adj5 (larger or wider) with (gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:43
S58	2	((expand\$5 or stretch\$5 or map\$5) with gamut) with ((narrow\$5 or smaller) adj5 (larger or wider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:44
S59	2	((map\$5) with gamut) with ((narrow\$5 or smaller) adj5 (larger or wider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:45
S60	10	((map\$5) with gamut) same ((narrow\$5 or smaller) adj5 (larger or wider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:47
S61	3	((map\$5) with gamut) same (map\$5 with direction)) and (direction with size with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:48
S62	0	((map\$5) with gamut with increas\$5) same (map\$5 with direction)) and (direction with size with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:48
S63	55	((map\$5) with gamut with increas\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:48
S64	2	((map\$5) with gamut with increas\$5) same (gamut with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 17:58
S65	2	"6373595".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:02
S66	2	((split\$5 or divid\$5 or segment\$5 or cutt\$5 or slic\$5 or splic\$5) with (gamut) with (plan\$5) with "360")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:03
S67	2	((split\$5 or divid\$5 or segment\$5 or cutt\$5 or slic\$5 or splic\$5) with (gamut) with (plan\$5) same "360")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:03

EAST Search History

S68	61	((split\$5 or divid\$5 or segment\$5 or cutt\$5 or slic\$5 or splic\$5) with (gamut or range) with (plan\$5) same "360")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:05
S70	2702	345/589,590,591,597,601-604,606,610.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:04
S71	6992	358/1.9,518,520,524,525.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:04
S72	4349	382/300,274,162,167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:04
S73	4	S68 and (S70 or S71 or S72)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:06
S74	68	((split\$5 or divid\$5 or segment\$5 or cutt\$5 or slic\$5 or splic\$5) with (gamut or range) with (plan\$5) same ((unit near4 (angle or degree)) or "360"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:07
S75	4	S74 and (S70 or S71 or S72)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:07
S76	101	((split\$5 or divid\$5 or segment\$5 or cutt\$5 or slic\$5 or splic\$5) with (gamut or range) with (line or plan\$5) same ((unit near4 (angle or degree)) or "360"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:27
S77	4	S76 and (S70 or S71 or S72)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:28
S78	498	((split\$5 or divid\$5 or segment\$5 or cutt\$5 or slic\$5 or splic\$5) same (gamut or range) same (line or plan\$5) same ((unit near4 (angle or degree)) or "360"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:13
S79	6	S78 and (S70 or S71 or S72)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:13
S80	501	((split\$5 or divid\$5 or segment\$5 or cutt\$5 or slic\$5 or splic\$5 or dissect\$5) same (gamut or range) same (line or plan\$5) same ((unit near4 (angle or degree)) or "360"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:13
S81	6	S80 and (S70 or S71 or S72)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:13

EAST Search History

S84	389	((split\$5 or divid\$5 or segment\$5 or cutt\$5 or slic\$5 or splic\$5) with (gamut or range) with "360")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:30
S85	2702	345/589,590,591,597,601-604,606,610.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:28
S86	6992	358/1,9,518,520,524,525.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:28
S87	4349	382/300,274,162,167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:28
S88	9	S84 and (S85 or S86 or S87)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:30
S89	394	((split\$5 or divid\$5 or segment\$5 or cutt\$5 or slic\$5 or splic\$5) with (gamut or range) with ("360" or (three adj2 hundred adj2 sixty)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:31
S90	9	S89 and (S85 or S86 or S87)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:31
S91	410	((split\$5 or divid\$5 or segment\$5 or cutt\$5 or slic\$5 or splic\$5) with (hue or gamut or range) with ("360" or (three adj2 hundred adj2 sixty)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:36
S92	15	S91 and (S85 or S86 or S87)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:35
S93	4	S91 and (gamut with map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:37
S94	8	S91 and (gamut samemap\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:36
S95	4	S91 and (gamut same map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:36
S96	11729	((hue or gamut or range) with ("360" or (three adj2 hundred adj2 sixty)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:36

EAST Search History

S97	30	S96 and (gamut with map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:48
S98	1	"620621".ap. and correct\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:50
S99	1	"620261".ap. and correct\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:50
S10 0	1	"620261".ap. and saturat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:54
S10 1	2	"5929874".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:51
S10 2	467	(chromaticity with color with saturation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:55
S10 3	76	(chromaticity with color with saturation) and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:54
S10 4	28	(chromaticity with equation with saturation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:57
S10 5	10	(chromaticity with equation with maximum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:59
S10 6	2	(maximum) and ("6075885".pn. "5704026".pn.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:59
S10 7	494	(gamut near3 (boundary or descriptor or description))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:02
S10 8	128	S107 and (gamut with plan\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:02
S10 9	60	S108 and (plan\$5 with (line or ray or vector or radius or radial\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:02

EAST Search History

S11 0	25	S109 and (plan\$5 with ang\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:14
S11 1	1	"5883632".pn. and max\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:03
S11 2	1	"5883632".pn. and intersect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:04
S11 3	0	"5883632".pn. and intersect\$5 with plane	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:04
S11 4	0	"5883632".pn. and intersect\$5 with page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:04
S11 5	0	"5883632".pn. and intersect\$5 with hue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:04
S11 6	1	"5883632".pn. and plane	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:06
S11 7	1	"5883632".pn. and ((page or plane) same max\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:09
S11 8	1	"5883632".pn. and ((hue adj2 (page or plane)) same max\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:43
S11 9	1	"5883632".pn. and ((hue adj (page or plane)) same max\$8) and (hue adj (page or plane))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:11
S12 0	1	"5883632".pn. and ((hue adj (page or plane)) same max\$8) and (hue adj (page or plane)) same boundary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:13
S12 1	1	"5883632".pn. and grid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:13
S12 2	1	S110 and (grid adj2 (parameter or size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:16

EAST Search History

S12 3	1	S108 and (grid adj2 (parameter or size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:16
S12 4	3	S107 and (grid adj2 (parameter or size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:17
S12 5	9	(gamut with map\$5) and (grid adj2 (parameter or size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:20
S12 6	6	(gamut with map\$5) and (((lattice or grid) adj2 (structure or parameter or size)) with (input\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:32
S12 7	2	"5704026".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:32
S12 8	1	"5883632".pn. and ((hue adj2 (page or plane)) same boundary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:44
S12 9	2	"5883632".pn. and ((hue adj2 (page or plane)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:50
S13 0	1	"5883632".pn. and ((hue adj2 (page or plane))) with I	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:11
S13 1	1	"627972".ap. and (two with intersect\$5 with triangle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:15
S13 2	2	"5704026".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:18
S13 3	0	"5704026".pn. and (lattice same size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:19
S13 4	1	"5704026".pn. and (lattice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:24
S13 5	0	"5704026".pn. and (stor\$5 with vert\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:24

EAST Search History

S13 6	1	"5704026".pn. and (stor\$5 same vert\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:24
S13 7	0	"5704026".pn. and (triangle with vert\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:25
S13 8	1	"5704026".pn. and (vert\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:31
S13 9	1	"5883632".pn. and (max\$6 same (hue adj2 (page or plane)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:31